

OPU



Hydraulic Power Packs

Working Pressure 700 bar

Features

- Hydraulic elements, tube fittings, tank accessories & electricals of reputed make
- Robust & aesthetically designed for easy maintenance
- Compatible to all reputed brand jacks / cylinders
- Options available: Hand lever / Solenoid (Push button)
- Wheels for easy handling
- Voltages: 110V - 220V - 415V A/C, 50 & 60Hz



Single Phase



OPU Series - O Orione P Power pack U Unit 2M 2HP Single Phase
20 Liters H Hand lever operated S Single pump
P Push button operated D Double pump

Pump Stage	Motor HP Single phase	Model	Flow Up to 150 bar (l / min.)	Flow above 150 bar (l / min.)	Filling Capacity (ltrs.)	Usable Oil (ltrs.)
Single	2	OPU-2M-20-HS	-	1.0	20	12
	3	OPU-3M-40-HS	-	1.5	40	25
Two	2	OPU-2M-40-HD	4.8	1.0	40	25
	3	OPU-3M-40-HD	7.3	1.5	40	25
	2	OPU-2M-40-PD	4.8	1.0	40	25
	3	OPU-3M-40-PD	7.3	1.5	40	25

Three Phase



OPU Series - O Orione P Power pack U Unit 2 2HP Three Phase
20 Liters H Hand lever operated S Single pump
P Push button operated D Double pump

Pump Stage	Motor HP Three phase	Model	Flow Up to 150 bar (l / min.)	Flow above 150 bar (l / min.)	Filling Capacity (ltrs.)	Usable Oil (ltrs.)
Single	2	OPU-2-20-HS	-	1.0	20	12
	3	OPU-3-40-HS	-	1.5	40	25
	5	OPU-5-50-HS	-	2.5	50	35
	7.5	OPU-7.5-80-HS	-	3.7	80	55
	7.5	OPU-7.5-120-HS	-	3.7	120	90
Two	2	OPU-2-40-HD	4.8	1.0	40	25
	3	OPU-3-40-HD	7.3	1.5	40	25
	5	OPU-5-50-HD	12.3	2.5	50	35
	7.5	OPU-7.5-80-HD	17.3	3.7	80	55
	7.5	OPU-7.5-120-HD	17.3	3.7	120	90
	2	OPU-2-40-PD	4.8	1.0	40	25
	3	OPU-3-40-PD	7.3	1.5	40	25
	5	OPU-5-50-PD	12.3	2.5	50	35
	7.5	OPU-7.5-80-PD	17.3	3.7	80	55
	7.5	OPU-7.5-120-PD	17.3	3.7	120	90

- Higher capacity and customized solutions on request.
- Specifications are subject to change due to continual improvement.