

Equipment For Construction

Multi Strand Jack with Stool & Anti-rotation

- Capacity : 1100 ton
- Stroke : 100 mm
- No. of Strands : 61



Calibration of 1000 ton Multi Strand Jacks




Multi Strand Aluminium Jack - Rear gripping with stressing head & wedge aligning plate / Wedge Lock

- Capacity : 90 ton
- Stroke : 150 mm



Short Profile With Double Acting Wedge Lock



Solenoid Operated Power Pack


- To operate strand Jack with hydraulic wedge lock



- Higher capacity & customized solutions on request.

Onioning Jack


- Capacity : 10 ton
- Stroke : 100 mm
- Strand Size : 12.7 - 15.2 mm






Hydraulic Powered Strand Pushing Machine

- Pushing 0.6" size strands into ducts
- Max. Pressure : 175 bar
- Max. Pushing Speed : 5.5 mm
- Max. Pushing Force : 3.9 kN



Hydraulic Buster

- Capacity : 300 ton
- Stroke : 45 mm
- Max. Pressure : 1500 bar




- Higher capacity & customized solutions on request.

Equipment For Construction

Multi Strand Pull Jacks (Horizontal & Vertical Applications)


- Capacity : 100 to 500 ton
- Stroke : 500 mm



- Capacity : 100 ton
- Stroke : 1000 mm

Automatic Multi Strand Pull Jacks (Horizontal & Vertical Applications)

- Higher capacity & customized solutions on request.



Mould Form Hydraulic System for Girders



- Higher capacity & customized solutions on request.